Physica C 213 (1993) 501–504
North-Holland

PHYSICA C

Author Index to Volume 213

Abell, J.S., see T.C. Shields **213**, 338
Adrian, H., see M. Serwe **213**, 370
Akimenko, A.I., G. Goll, H.v. Löhneysen and V.A. Gudimenko, Gap anisotropy and gapless superconductivity in Zn-doped $YBa_2Cu_3O_{7-\delta}$ **213**, 399
Akimitsu, J., see M. Uehara **213**, 51
Andrä, W., R. Hergt, R. Hiergeist, J. Taubert, M. Zeisberger, K. Winzer, J. Bernhard and K.F. Renk, Magnetization anomaly in TBCCO high-T_c superconductors **213**, 471
Andreev, A.V., Triplet superconductive pairing in the lowest Landau level **213**, 394
Andronov, A., I. Gordion, V. Kurin, I. Nefedov and I. Shereshevsky, Kinematic vortices and phase slip lines in the dynamics of the resistive state of narrow superconductive thin film channels **213**, 193
Arnold, J., A. Pfuch, J. Borck, K. Zach and P. Seidel, Preparation and characterization of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ thin films made by LPVD **213**, 71

Bayless, W.R., see J.E. Schirber **213**, 190
Beauvais, L., see L. Gao **213**, 261
Belinicher, V.I. and A.L. Chernyshev, Low-energy limit of the three-band model for electrons in a CuO_2 plane **213**, 298
Beňačka, Š., see M. Mahel' **213**, 287
Ben Salem, E., see M. Cassart **213**, 327
Bernhard, J., see W. Andrä **213**, 471
Bhalla, G.L., A. Malik, A. Kumar, B. Kumar and G.C. Trigunayat, On preventing the degradation in $YBa_2Cu_3O_{7-\delta}$ superconductors caused by gamma irradiation **213**, 78
Borck, J., see J. Arnold **213**, 71
Borck, J., S. Linzen, K. Zach and P. Seidel, A morphological growth model for laser ablated $Y_1Ba_2Cu_3O_{7-x}$ thin films **213**, 145
Bordet, P., see X. Obradors **213**, 81
Boyd, I.W., see S.H.H. Naqvi **213**, 161
Brisson, C., see M. Cassart **213**, 327
Brom, H.B., see D. Reefman **213**, 229
Brynestad, J., see M. Paranthaman **213**, 271

Cantoni, M., see S. Tao **213**, 276
Caplin, A.D., see H.K. Liu **213**, 95
Cassart, M., E. Grivei, J.-P. Issi, E. Ben Salem, B. Chevalier, C. Brisson and A. Tressaud, Improvement of the superconducting properties of the $La_{2-x}Ba_xCuO_4$ system ($0 \leqslant x \leqslant 0.15$) by low-temperature fluorination **213**, 327
Cassidy, S.M., see H.K. Liu **213**, 95
Chang, C.T., see D.H. Chen **213**, 383
Chateigner, D., see X. Obradors **213**, 81
Chen, D.H., S.R. Sheen, M.J. Wang, C.C. Chi, F.Z. Chien, M.K. Wu and C.T. Chang, Synthesis and properties of the $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$ superconductors **213**, 383
Chen, F., see L. Gao **213**, 261
Chen, H.T. and T.T. Chen, Tunneling characteristics of $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$/Pb planar junctions **213**, 151
Chen, T.T., see H.T. Chen **213**, 151
Chenavas, J., see X. Obradors **213**, 81
Chernyshev, A.L., see V.I. Belinicher **213**, 298
Chevalier, B., see M. Cassart **213**, 327
Chi, C.C., see D.H. Chen **213**, 383
Chien, F.Z., see D.H. Chen **213**, 383
Chu, C.W., see Y.T. Ren **213**, 224
Chu, C.W., see L. Gao **213**, 261
Claus, H., S. Yang, H.K. Viswanathan, G.W. Crabtree, J.W. Downey and B.W. Veal, Comparison of Au-free versus Au-doped $YBa_2Cu_3O_{7-\delta}$ single crystals. Overdoping and oxygen mobility **213**, 185
Cohen, L.F., see H.K. Liu **213**, 95
Conder, K., see Ch. Krüger **213**, 219
Couach, M., see C. Opagiste **213**, 17
Crabtree, G.W., see H. Claus **213**, 185
Crusellas, M.A., J. Fontcuberta and S. Piñol, The resistive transition of a $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal **213**, 403
Cubitt, R., E.M. Forgan, M. Warden, S.L. Lee, P. Zimmermann, H. Keller, I.M. Savić, P. Wenk, D. Zech, P.H. Kes, T.W. Li, A.A. Menovsky and Z. Tarnawski, Unconventional angular dependence of the microscopic magnetic field distribution in single crystal $Bi_2Sr_2CaCu_2O_8$ from muon-spin rotation studies **213**, 126

De la Torre, M.A., see X. Obradors **213**, 81
Den, T., see M. Uehara **213**, 51
Diederichs, J., see A.-K. Klehe **213**, 266
Doi, T.J., see P.E.D. Morgan **213**, 438
Dou, S.X., see H.K. Liu **213**, 95
Downey, J.W., see H. Claus **213**, 185
Dravid, V.P., H. Zhang and Y.Y. Wang, Inhomogeneity of charge carrier concentration along the grain boundary plane in oxide superconductors **213**, 353
Dreibholz, J., see A.A. Golubov **213**, 139
D'yachenko, A.I., Hysteresis of transport critical current of high T_c superconductors in strong magnetic fields. Theory **213**, 167

Elesin, V.F., A.A. Sinchenko, A.A. Ivanov and S.G. Galkin, Andreev reflection in Au–bilayer: Ag–$YBa_2Cu_3O_{7-\delta}$ ($\delta=0$, 0.3) point contacts **213**, 490
Ernst, N., W.A. Schmidt, Ch. Kleint, A.J. Melmed and

G.L. Larkins, Field electron energy spectroscopy of 2223 BiSrCaCuO below and above T_c **213**, 495

Fabbricatore, P., G. Gemme, P. Moreschi, R. Musenich, R. Parodi and B. Zhang, Determination of the irreversibility line in Bi-2212 Ag sheathed wires **213**, 200
Fischer, R., see M. Serwe **213**, 370
Fontcuberta, J., see M.A. Crusellas **213**, 403
Forgan, E.M., see R. Cubitt **213**, 126
Fung, P.C.W., E.M.Y. Kwok and C.C. Lam, Theoretical analysis of the isotope effect using the bipolaronic theory **213**, 359

Gainsford, G.J., see H.J. Trodahl **213**, 427
Galkin, S.G., see V.F. Elesin **213**, 490
Gangopadhyay, A.K., see A.-K. Klehe **213**, 266
Gao, L., Z.J. Huang, R.L. Meng, J.G. Lin, F. Chen, L. Beauvais, Y.Y. Sun, Y.Y. Xue and C.W. Chu, Study of superconductivity in the Hg–Ba–Ca–Cu–O system **213**, 261
Gemme, G., see P. Fabbricatore **213**, 200
Goldstone, J.A., see G.H. Kwei **213**, 455
Goll, G., see A.I. Akimenko **213**, 399
Golubov, A.A., M.R. Trunin, S.V. Shulga, D. Wehler, J. Dreibholz, G. Müller and H. Piel, Microwave conductivity of $YBa_2Cu_3O_{6.9}$ single crystals near T_c **213**, 139
Gordion, I., see A. Andronov **213**, 193
Gorochov, O., see R. Suryanarayanan **213**, 88
Greaves, C., see P.R. Slater **213**, 14
Grivei, E., see M. Cassart **213**, 327
Gudimenko, V.A., see A.I. Akimenko **213**, 399
Gugan, D. and O. Stoppard, AC susceptibility of thin superconducting discs. A unified treatment of some current critical state models **213**, 109
Guo, J.D., see S. Tao **213**, 276
Guo, Y.C., see H.K. Liu **213**, 95

Hayashi, K., see N. Sugii **213**, 345
Hayashi, S., see S. Miyashita **213**, 283
Hergt, R., see W. Andrä **213**, 471
Hiergeist, R., see W. Andrä **213**, 471
Horiuchi, H., see S. Miyashita **213**, 283
Housley, R.M., see P.E.D. Morgan **213**, 438
Hsu, T.C., Frequency dependent conductivity of vortex cores in type II superconductors **213**, 305
Huang, Z.J., see L. Gao **213**, 261
Hui, A., see T.C. Shields **213**, 338

Ichikawa, M., see N. Sugii **213**, 345
Inoue, T., see S. Miyashita **213**, 283
Ishii, A., see K. Nakamura **213**, 1
Issi, J.-P., see M. Cassart **213**, 327
Ito, W., see S. Mahajan **213**, 445
Ivanov, A.A., see V.F. Elesin **213**, 490
Ivanov, S.N., see S.I. Shkuratov **213**, 321
Iye, Y., see T. Tamegai **213**, 33

Jia, Y.B., see W.B. Wu **213**, 133
Jondo, T.K., see C. Opagiste **213**, 17
Jorda, J.-L., see C. Opagiste **213**, 17
Junod, A., see C. Opagiste **213**, 17

Kaldis, E., see Ch. Krüger **213**, 219
Kato, Y., see S. Miyashita **213**, 283
Keller, H., see R. Cubitt **213**, 126
Kes, P.H., see R. Cubitt **213**, 126
Khoder, A.F., see C. Opagiste **213**, 17
Kishen, H., see R. Suryanarayanan **213**, 88
Kishio, K., see T. Tamegai **213**, 33
Kishio, K., see H.J. Trodahl **213**, 427
Klehe, A.-K., A.K. Gangopadhyay, J. Diederichs and J.S. Schilling, Dependence of the superconducting transition temperature of $HgBa_2CuO_{4+\delta}$ on hydrostatic pressure **213**, 266
Kleint, Ch., see N. Ernst **213**, 495
Kobayashi, T., see M. Uehara **213**, 51
Komatsu, H., see S. Miyashita **213**, 283
Kopylov, N., see J.E. Schirber **213**, 190
Kortan, A.R., see J.E. Schirber **213**, 190
Kozlov, V.A. and A.V. Samokhvalov, Closed Abrikosov vortices in a superconducting cylinder **213**, 103
Kremer, R.K., see R.K. Li **213**, 26
Kronmüller, H., see S. Nieber **213**, 43
Krotov, Yu.A. and I.M. Suslov, Towards the possibility of increasing T_c of oxide superconductors through coherent interaction of planar defects **213**, 421
Krüger, Ch., K. Conder and E. Kaldis, Fast selective chain oxidation in $YBa_2Cu_3O_{6+x}$ **213**, 219
Kubo, K., see N. Sugii **213**, 345
Kumar, A., see G.L. Bhalla **213**, 78
Kumar, B., see G.L. Bhalla **213**, 78
Kumar, D., see R. Rajput **213**, 211
Kurin, V., see A. Andronov **213**, 193
Kuwahara, Y., see H. Yamaguchi **213**, 375
Kwei, G.H., J.O. Willis, T. Sakurai, J.A. Goldstone, A.C. Lawson, H. Yamauchi and S. Tanaka, Dopant solubility, phase stability and superconductivity in Sr-doped $La_{2-x}Sr_xCaCu_2O_6$ **213**, 455
Kwok, E.M.Y., see P.C.W. Fung **213**, 359

Lam, C.C., see P.C.W. Fung **213**, 359
Larkins, G.L., see N. Ernst **213**, 495
Lawson, A.C., see G.H. Kwei **213**, 455
Lee, S.L., see R. Cubitt **213**, 126
Leelaprute, S., see R. Suryanarayanan **213**, 88
Li, F.Q., see W.B. Wu **213**, 133
Li, R.K., R.K. Kremer and J. Maier, The synthesis and characterization of a new family of single layer cuprates. $LnBaCuO_2BO_3$ (Ln = La, Pr, Nd, Sm, Eu and Gd) **213**, 26
Li, T.W., see R. Cubitt **213**, 126
Lin, J.G., see L. Gao **213**, 261
Linzen, S., see J. Borck **213**, 145
Liu, H.K., Y.C. Guo, S.X. Dou, S.M. Cassidy, L.F. Cohen, G.K. Perkins, A.D. Caplin and N. Savvides, Pinning

mechanisms in Ag-sheathed Bi(Pb)SrCaCuO tapes **213**, 95
Löhneysen, H.v., see A.I. Akimenko **213**, 399
Luo, J.S., see D.L. Shi **213**, 179

Mahajan, S., W. Ito, Y. Yoshida and T. Morishita, Effects of target and template layer on the properties of highly crystalline superconducting *a*-axis films of $Y_1Ba_2Cu_3O_{7-x}$ by DC-sputtering **213**, 445
Mahel', M. and Š. Beňačka, Microwave losses in type II superconductors in a magnetic field Theory of direct and modulated absorption **213**, 287
Maier, J., see R.K. Li **213**, 26
Malik, A., see G.L. Bhalla **213**, 78
Maple, M.B., see X. Obradors **213**, 81
Matsuda, A., see T. Matsushita **213**, 477
Matsui, Y., see M. Uehara **213**, 51
Matsushita, T., A. Matsuda and K. Yanagi, Irreversibility line and flux pinning properties in high-temperature superconductors **213**, 477
McGinn, P.J., see D.L. Shi **213**, 179
Mei, C.J. and V.H. Smith Jr., The ab initio electronic structure and stability of the bucky tube **213**, 157
Melmed, A.J., see N. Ernst **213**, 495
Meng, R.L., see L. Gao **213**, 261
Menovsky, A.A., see R. Cubitt **213**, 126
Miyashita, S., Y. Kato, H. Komatsu, T. Inoue, S. Hayashi, H. Horiuchi and S. Sueno, Decomposition of BSCCO(2212) phase studied by in situ observation **213**, 283
Moreschi, P., see P. Fabbricatore **213**, 200
Morgan, P.E.D., T.J. Doi and R.M. Housley, Thallous-ion-rich-liquid-phase synthesis of $TlSr_2Ca_2Cu_3O_x$ **213**, 438
Morishita, T., see S. Mahajan **213**, 445
Muirhead, C.M., see P.R. Slater **213**, 14
Müller, G., see A.A. Golubov **213**, 139
Muller, J., see C. Opagiste **213**, 17
Musenich, R., see P. Fabbricatore **213**, 200

Nakajima, S., see H. Yamaguchi **213**, 375
Nakamura, K., J.H. Ye and A. Ishii, Oxygen potential control in $YBa_2Cu_3O_{7-\delta}$ thin films **213**, 1
Nakata, H., see M. Uehara **213**, 51
Naqvi, S.H.H. and I.W. Boyd, Superconductivity in $(Pb_{0.75}Cu_{0.25})Sr_2(Y_{1-x}, Ca_x)Cu_2O_{7-\delta}$ without high pressure oxygen annealing **213**, 161
Nefedov, I., see A. Andronov **213**, 193
Niarchos, D., see R. Suryanarayanan **213**, 88
Nieber, S. and H. Kronmüller, Elastic properties of the flux line lattice in high-T_c superconductors **213**, 43
Nissen, H.-U., see S. Tao **213**, 276

Obradors, X., P. Visani, M.A. De la Torre, M.B. Maple, M. Tovar, F. Pérez, P. Bordet, J. Chenavas and D. Chateigner, Rare-earth magnetic ordering in the R_2CuO_4 cuprates (R=Tb, Dy, Ho, Er and Tm) **213**, 81
Oguro, I., see T. Tamegai **213**, 33
Opagiste, C., G. Triscone, M. Couach, T.K. Jondo, J.-L. Jorda, A. Junod, A.F. Khoder and J. Muller, Phase diagram of the $Tl_2Ba_2CuO_6$ compounds in the T, $p(O_2)$ plane **213**, 17
Oyanagi, H., see H. Yamaguchi **213**, 375

Paranthaman, M., J.R. Thompson, Y.R. Sun and J. Brynestad, Synthesis and magnetic characterization of the high-T_c superconducting compound $HgBa_2CuO_{4+\delta}$ **213**, 271
Parodi, R., see P. Fabbricatore **213**, 200
Pérez, F., see X. Obradors **213**, 81
Perkins, G.K., see H.K. Liu **213**, 95
Petersen, K., see M. Serwe **213**, 370
Pfuch, A., see J. Arnold **213**, 71
Piel, H., see A.A. Golubov **213**, 139
Piñol, S., see M.A. Crusellas **213**, 403
Pooke, D., see H.J. Trodahl **213**, 427
Psycharis, V., see R. Suryanarayanan **213**, 88

Qian, Y.T., see W.B. Wu **213**, 133
Qin, Q.N., see W.B. Wu **213**, 133

Raban Jr., G.W., see S. Wu **213**, 483
Rajput, R., Y.S. Reddy, R.G. Sharma, G.V. Subbarao and D. Kumar, Thermoelectric power studies on the BPSCCO system with silver addition **213**, 211
Reddy, Y.S., see R. Rajput **213**, 211
Reefman, D. and H.B. Brom, Langevin dynamics simulation of vortices in a layered superconductor **213**, 229
Ren, Y.T., Y.Y. Xue, Y.Y. Sun and C.W. Chu, Raman scattering study of site substitution in $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) **213**, 224
Renk, K.F., see W. Andrä **213**, 471

Sakurai, T., see G.H. Kwei **213**, 455
Samokhvalov, A.V., see V.A. Kozlov **213**, 103
Savić, I.M., see R. Cubitt **213**, 126
Savvides, N., see H.K. Liu **213**, 95
Schachinger, E., see I.V. Stasyuk **213**, 57
Schilling, J.S., see A.-K. Klehe **213**, 266
Schirber, J.E., W.R. Bayless, A.R. Kortan and N. Kopylov, Pressure dependence of the superconducting transition of calcium fullerene Ca_5C_{60} **213**, 190
Schmidt, W.A., see N. Ernst **213**, 495
Schulz, G., see M. Serwe **213**, 370
Schwartz, J., see S. Wu **213**, 483
Seidel, P., see J. Arnold **213**, 71
Seidel, P., see J. Borck **213**, 145
Sengupta, S., see D.L. Shi **213**, 179
Serwe, M., G. Schulz, K. Petersen, H. Adrian and R. Fischer, Effect of an a-Si layer on the superconducting properties of high-T_c YBCO-films **213**, 370
Sharma, R.G., see R. Rajput **213**, 211
Sheen, S.R., see D.H. Chen **213**, 383
Shereshevsky, I., see A. Andronov **213**, 193
Shi, D.L., S. Sengupta, J.S. Luo, C. Varanasi and P.J. McGinn, Extremely fine precipitates and flux pinning in melt-processed $YBa_2Cu_3O_x$ **213**, 179

Shields, T.C., J.S. Abell, A. Hui and A. Smeets, YBCO thick films on alumina substrates with $BaSO_4/BaF_2$ barrier layers **213**, 338
Shilimanov, S.N., see S.I. Shkuratov **213**, 321
Shkuratov, S.I., S.N. Ivanov and S.N. Shilimanov, Field electron emission microscopy and spectroscopy of $YBa_2Cu_3O_{6.9}$ single crystals at different temperatures **213**, 321
Shulga, S.V., see A.A. Golubov **213**, 139
Shvaika, A.M., see I.V. Stasyuk **213**, 57
Sinchenko, A.A., see V.F. Elesin **213**, 490
Slaski, M., see P.R. Slater **213**, 14
Slater, P.R., C. Greaves, M. Slaski and C.M. Muirhead, Superconductivity in the system (Y, Ca, Sr)(Ba, Sr)$_2$($Cu_{3-z}(SO_4)_zO_x$ **213**, 14
Smeets, A., see T.C. Shields **213**, 338
Smith Jr., V.H., see C.J. Mei **213**, 157
Stasyuk, I.V., A.M. Shvaika and E. Schachinger, On the electron spectrum of the Hubbard model including interactions with local anharmonic vibrations **213**, 57
Steger, P.L. and X.Z. Wang, Fabrication of $YBa_2Cu_4O_8$ from tartrate gel precursors **213**, 433
Stoppard, O., see D. Gugan **213**, 109
Subbarao, G.V., see R. Rajput **213**, 211
Sueno, S., see S. Miyashita **213**, 283
Sugii, N., M. Ichikawa, K. Hayashi, K. Kubo, K. Yamamoto and H. Yamauchi, Microstructure of the infinite-layer structural $Sr_{1-x}CuO_{2-\delta}$ thin films **213**, 345
Sun, Y.R., see M. Paranthaman **213**, 271
Sun, Y.Y., see Y.T. Ren **213**, 224
Sun, Y.Y., see L. Gao **213**, 261
Suryanarayanan, R., V. Psycharis, S. Leelaprute, H. Kishen, O. Gorochov and D. Niarchos, Structural and superconducting properties of $Sm_{1-x}Ca_xSrBaCu_3O_{6+z}$ ($x=0$, 0.05 and 0.1) **213**, 88
Suslov, I.M., see Yu.A. Krotov **213**, 421
Syono, Y., see H. Yamaguchi **213**, 375
Szpunar, B., Periodic boundary cluster calculations for various solid C_{60} structures **213**, 389

Tamegai, T., Y. Iye, I. Oguro and K. Kishio, Anomalous peak effect in single crystal $Bi_2Sr_2CaCu_2O_{8+y}$ studied by Hall probe magnetometry **213**, 33
Tanaka, S., see G.H. Kwei **213**, 455
Tao, S., H.-U. Nissen, M. Cantoni and J.D. Guo, High-resolution electron microscopy of triclinic modulations in bismuth–barium cuprates **213**, 276
Tarnawski, Z., see R. Cubitt **213**, 126
Taubert, J., see W. Andrä **213**, 471
Thompson, J.R., see M. Paranthaman **213**, 271
Tovar, M., see X. Obradors **213**, 81
Tressaud, A., see M. Cassart **213**, 327
Trigunayat, G.C., see G.L. Bhalla **213**, 78
Triscone, G., see C. Opagiste **213**, 17
Trodahl, H.J., D. Pooke, G.J. Gainsford and K. Kishio, Raman investigation of I_3^- ions in I-intercalated $Bi_2Sr_2Ca_{n-1}Cu_nO_x$, $n=1, 2$ **213**, 427
Trunin, M.R., see A.A. Golubov **213**, 139

Uehara, M., H. Nakata, J. Akimitsu, T. Den, T. Kobayashi and Y. Matsui, Superconductivities in the (Bi,Pb)-oxycarbonate system **213**, 51

Varanasi, C., see D.L. Shi **213**, 179
Veal, B.W., see H. Claus **213**, 185
Visani, P., see X. Obradors **213**, 81
Viswanathan, H.K., see H. Claus **213**, 185

Wang, M.J., see D.H. Chen **213**, 383
Wang, X.Z., see P.L. Steger **213**, 433
Wang, Y.Y., see V.P. Dravid **213**, 353
Warden, M., see R. Cubitt **213**, 126
Wehler, D., see A.A. Golubov **213**, 139
Wenk, P., see R. Cubitt **213**, 126
Willis, J.O., see G.H. Kwei **213**, 455
Winzer, K., see W. Andrä **213**, 471
Wu, M.K., see D.H. Chen **213**, 383
Wu, S., J. Schwartz and G.W. Raban Jr., Effects of varying initial Bi stoichiometry on phase formation of partial melt-processed $Bi_2Sr_2CaCu_2O_x$ **213**, 483
Wu, W.B., F.Q. Li, Y.B. Jia, G.E. Zhou, Y.T. Qian, Q.N. Qin and Y.H. Zhang, Growth of $Bi_2Sr_2CaCu_2O_8$ single crystals from Bi-rich melts **213**, 133

Xue, Y.Y., see Y.T. Ren **213**, 224
Xue, Y.Y., see L. Gao **213**, 261

Yamaguchi, H., S. Nakajima, Y. Kuwahara, H. Oyanagi and Y. Syono, Temperature dependence of the local structure in superconducting and non-superconducting $Tl_2Ba_2CuO_y$ studied by extended X-ray absorption fine structure **213**, 375
Yamamoto, K., see N. Sugii **213**, 345
Yamauchi, H., see N. Sugii **213**, 345
Yamauchi, H., see G.H. Kwei **213**, 455
Yanagi, K., see T. Matsushita **213**, 477
Yang, S., see H. Claus **213**, 185
Ye, J.H., see K. Nakamura **213**, 1
Yoshida, Y., see S. Mahajan **213**, 445

Zach, K., see J. Arnold **213**, 71
Zach, K., see J. Borck **213**, 145
Zech, D., see R. Cubitt **213**, 126
Zeisberger, M., see W. Andrä **213**, 471
Zhang, B., see P. Fabbricatore **213**, 200
Zhang, H., see V.P. Dravid **213**, 353
Zhang, Y.H., see W.B. Wu **213**, 133
Zhou, G.E., see W.B. Wu **213**, 133
Zimmermann, P., see R. Cubitt **213**, 126

Physica C 000 (1993) 505–506
North-Holland

PHYSICA C

Analytic Subject Index to Volume 213

Abrikosov vortex 103
AC susceptibility 14, 81, 88, 109, 200, 266
Andreev reflection 490
Anharmonicity 375
Anisotropic superconductor 33, 43, 126, 229, 398, 495
Antiferromagnetic order 81
Applications of high-T_c superconductors 95, 200

Band structure 389
Bipolaronic model 359

C_{60} compounds 157, 190, 389
$CO_{3\text{-}compounds}$ 51
Coherence length 421
Coherence peak 139
Critical current density 71, 95, 167, 477
Critical state model 109, 287
Crystal field effects 81
Crystal growth 283
Cu–O planes 298, 375, 421

EELS 353
Electrical resistivity 161, 193, 211, 327, 438
–of $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ 403
Electron diffraction 51
Electronic structure 57, 157, 321, 389
Electron microscopy 95, 179
Electron–phonon coupling 57, 327, 338
Electron spectroscopy 495
Energy gap 398, 490, 495
EXAFS 375

Field electron emission 321
Fine-structure constant 103
Fluctuation effects 403
Fluorination 327
Flux dynamics 43, 193, 200, 229, 287
–of $HgBa_2CuO_{4+\delta}$ 271
Flux lattice 126
Flux pinning 43, 95, 179, 229, 261, 305, 403, 477

Grain alignment 145
Grain boundaries 353
Granular superconductivity 88, 167

Hall effect 88
Hall probe magnetometry 33
High-pressure effect 190, 261, 266
Hopping parameter 298
HREM 276
Hubbard model 57

Incommensurate modulation 276
Infinite layer structure 345
Infrared spectroscopy 26, 305
Iodine intercalation 427
Irradiation effect 78
Irreversibility line 200, 477
Isotope effect 359

Josephson effect 193

Lattice dynamics 57, 375
London equation 103

Magnetic relaxation 33
Magnetic susceptibility 438
Magnetization 33, 88, 109, 271, 483
Magnetoresistance 403
Melt processing 483
Microstructure
–in Bi–Sr–Ca–Cu–O 483
Microwave absorption 139, 287
Mixed state 305
Multilayers 71
Muon spin rotation 126

Neutron diffraction 455
NMR 229
Non-ohmic behaviour 403, 477
Normal state properties 211

Optical absorption 305
O–T transition 17, 383
Oxygen diffusion 185, 219
Oxygen stoichiometry 1, 78, 185, 219, 353, 455

Pair breaking 193
Peak effect
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 33
Phase decomposition 433
Phase diagram 283
Phonon mechanism 375
Planar defect 421
Plasma polymerization 78
Point-contact spectroscopy 398
Proximity effect 490

Raman scattering 224, 427
Rietveld analysis 51

Scanning electron microscopy 71, 145
Single crystal
–of $YBa_2Cu_3O_{6.9}$ 321
Strong-coupling theory 139
Structure
–of $Bi_2Ba_2NdCu_2O_{8+\delta}$ 276
–of $Bi_2Sr_2CaCu_2O_8$ 133
–of $La_{2-x}Sr_xCaCu_2O_6$ 455
–of $LnBaCuO_2BO_3$ (Ln=La, Pr, Nd, Sm, Eu, Gd) 26
–of $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) 224
–of Sm(Ca)SrBaCuO 88
–of $Tl_2Ba_2CuO_6$ 17
–of $Y_1Ba_2Cu_3O_{7-x}$ 445
–of $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$ 383
Substitution effects
–in $La_{2-x}Sr_xCaCu_2O_6$ 455
–in $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) 224
–in $(Y,Ca,Sr)(Ba,Sr)_2Cu_{3-z}(SO_4)_zO_x$ 14
–in $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 151
–in $YBa_2Cu_3O_{7-\delta}$ 185, 398
Sulphate superconductor 14
Superconducting cylinder 103
Superconductivity
–in high-magnetic fields 394
Superconductor/semiconductor heterostructure 370
Surface barrier 167
Synthesis
Synthesis
–of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ 71
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 283
–of $Bi_2Sr_2CaCu_2O_8$ 133, 283
–of $HgBa_2CuO_{4+\delta}$ 271
–of Hg–Ba–Ca–Cu–O 261

–of $LnBaCuO_2BO_3$ (Ln = La, Pr, Nd, Sm, Eu, Gd) 26
–of $(Pb_{0.75}Cu_{0.25})Sr_2(Y_{1-x},Ca_x)Cu_2O_{7-\delta}$ 16
–of $Tl_2Ba_2CuO_6$ 17
–of $TlSr_2Ca_2Cu_3O_x$ 438
–of $Y_1Ba_2Cu_3O_{7-x}$ 445
–of $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$ 383
–of $YBa_2Cu_3O_{6+x}$ 219
–of $YBa_2Cu_3O_{7-\delta}$ 1
–of $YBa_2Cu_4O_8$ 433
–of YBCO 370
Tartaric acid gels 433
Thermal conductivity 327
Thermoelectric effects 327
Thermoelectric power 211
Thick films
–of YBCO 338
Thin films 1, 71, 145, 151, 445
–of $Sr_{1-x}CuO_{2-\delta}$ 345
–of YBCO 370
Three-band model 298
t–J model 298
Transmission electron microscopy 345
Triplet pairing 394
Tunneling 151
Type II superconductors 394

Vortex lattice 43, 229

Weak links 193, 266, 271, 287

X-ray diffraction 88, 133, 161, 179, 383, 438